



HART + PRICE

(800) 777-9129


Quality commercial Kitchen Equipment  
and Beverage Supplies in Texas, since 1984.

BEVERAGE | APPLICATIONS

# Beverage Connecting Solutions

## Benefits

- Economical
- Uniform compression
- Quick and easy to install
- Slim, lightweight, yet strong



## SEALING SOLUTIONS

Applicable beverage applications: beverage dispensing systems, frozen beverage systems, hot beverage systems, soft drink systems, beer systems, home brew kits, syrup pumps, ice machines, beer pumps, ice makers, and bag-in-box connections



### StepLess® Ear Clamps 167

167 stainless steel  
6.5 – 120.5 mm

- **Narrow band:** concentrates transmission of clamping force
- **360° StepLess®:** uniform compression and uniform surface pressure



### 2-Ear Clamps 151

151 stainless steel  
4.1 – 46.0 mm

- **2-Ear version:** extended clamping range
- **Compact one-piece clamp:** for robust, secure connections
- **Clamp ear:** fast and simple installation



### Worm Drive Clamps 177 SAE Type "F"

177 stainless steel  
10.0 – 178.0 mm

- **Conforms to SAE J1508 Type "F":** perforated band, large clamping range



### Beverage Clamp Kit

Item No. 18500075

Kit contains various sizes of StepLess® Ear Clamps 167 and one installation pincer.

## BEVERAGE | TOOLS FOR INSTALLATION

### Installation

For proper installation of clamps, use Genuine Oetiker Installation tools for best clamp performance.

1. Position the clamp on the hose/application
2. Align the jaw tips of the Oetiker installation tool with the ear of the clamp
3. Squeeze the ear



with Standard Jaw



with Side Jaw

### HAND INSTALLATION PINCERS (HIP)



#### Compound Action\* Standard Jaw Pincer

Oetiker HIP 2000 | 386  
Item no. 14100386

- Use where radial access to clamp is not restricted



#### Compound Action\* Side Jaw Pincer

Oetiker HIP 2000 | 387  
Item no. 14100387

- Dual purpose side jaw design
- Can be used in parallel or perpendicular position
- Install or remove clamps in confined areas

#### \*Key advantages of Compound Action Pincers

- Exclusive compound action for easier clamp installation and removal
- Designed and manufactured specifically to install and remove 5, 7, and 9 mm wide Genuine Oetiker ear clamps
- Optimized for professional medium and heavy duty use
- Generate up to 20% higher clamp sealing performance on genuine Oetiker clamps than other tools
- Better single handed use in confined areas
- Slip resistant grips for control and comfort
- Patent pending design
- Made in USA

### PNEUMATIC AND CORDLESS PINCERS



#### Pneumatic Pincers

Oetiker HO ME 2000

- Installation tool with high process reliability
- High-quality, complete pincer system for uniform clamp closures



#### Cordless Pincers

For Ear Clamps  
Oetiker Cordless Pincer CP 10

- Efficient, uniform and repeatable assembly
- Lightweight, ergonomic design

### ACCESSORIES - CUTTERS



#### Hand Clamp Cutter

Oetiker HCC 2000 | 407  
Item no. 14100407

- Quick and easy ear clamp cutting
- Safest method of clamp removal



#### Hand Tubing Cutter

Oetiker HTC 500 | 408  
Item no. 14100408

- Quickly cuts poly tubing up to 7/8" OD
- V-shaped notch keeps pipe or tube steady
- Light and durable glass filled nylon construction
- Super sharp blade for quick and easy cuts

# OETIKER STEPLESS EAR CLAMPS - SOLD IN PACKS OF 100



SKU	Clamp Range – Inches	Clamp Range - mm
0070	0.228 – 0.276	5.8 – 7.0
0080	0.268 – 0.315	6.8 – 8.0
0087	0.276 – 0.343	7.0 – 8.7
0095	0.307 – 0.374	7.8 – 9.5
0100	0.327 – 0.394	8.3 – 10.0
0105	0.347 – 0.413	8.8 – 10.5
0109	0.362 – 0.429	9.2 – 10.9
0113	0.378 – 0.445	9.6 – 11.3
0118	0.398 – 0.465	10.1 – 11.8
0123	0.386 – 0.484	9.8 – 12.3
0128	0.406 – 0.504	10.3 – 12.8
0133	0.425 – 0.524	10.8 – 13.3
0138	0.445 – 0.543	11.3 – 13.8
0140	0.453 – 0.551	11.5 – 14.0
0145	0.472 – 0.571	12.0 – 14.5
0153	0.504 – 0.602	12.8 – 15.3
0157	0.520 – 0.618	13.2 – 15.7
0162	0.539 – 0.638	13.7 – 16.2
0170	0.571 – 0.669	14.5 – 17.0
0185	0.602 – 0.728	15.3 – 18.5
0198	0.654 – 0.780	16.6 – 19.8
0210	0.701 – 0.827	17.8 – 21.0
0226	0.764 – 0.890	19.4 – 22.6
0241	0.823 – 0.949	20.9 – 24.1
0271	0.941 – 1.067	23.9 – 27.1
0286	1.00 – 1.126	25.4 – 28.6
0301	1.059 – 1.185	26.9 – 30.1

# 8025 - STARTER KIT

SKU	Description	Quantity
0133	Oetiker Stepless Ear Clamps	100
0145	Oetiker Stepless Ear Clamps	50
0170	Oetiker Stepless Ear Clamps	100
1001	Nuts	50
1002	Nuts	1
1003	Nuts	25
3006	Stems	50
3007	Stems	1
3008	Stems	10
3009	Stems	15
9013	Splicers	10
3015	Barb to Male Flare Adapters	2
9016	Barb to Male Flare Adapters	2
3027	Barbed Plugs	10
3028	Barbed Plugs	5
3093	Cap Nut	1
3094	Cap Nut	1
9001	Splicers	25
9002	Splicer - 90° - From Tubing	1
9005	Splicer - 90° - From Tubing	1
9006	Barb Hose Tees	20
9007	Barb Hose Tees	10
9008	Barb Hose Tees - Reducing	5
9009	Barb Hose Tees - Enlarging	1
9010	Barb Hose Crosses	5
9012	Splicers - Reducers	15
7013	Swivel - Elbows	5
7018	Swivel - Elbows	3
9051	U-Bend Manifold - Single Barb	1
7058	Swivel - Straight	1
9095	U-Bend Manifold - Single Barb	1
8007	Flare Washers	200
8009	Flare Washers	100
8058	Tube Cutter	1
1099-I	Side Jaw Pincers	1
8014	Empty Case for Starter Kit	1



# OETIKER PINCERS

SKU	Description
1098	Standard Jaw Pincers
1099-I	Side Jaw Pincers

