





T5000 Series BIB Pumps are gas driven (CO2/air) diaphragm pumps that provide superior performance and reliability for dispensing bag-in-box syrups, juice concentrate, teas, wines, and liquor.

- New air inlet quick disconnect ports allow for easy CO2 installation and servicing
- New glass filled polypropylene body material for improved resistance to harsh syrups
- Snap-on bracket allows for easier maintenance and service as well as simple slide mounting to BIB racks





T5000-130

Pump Design:	Positive Displacement, Double Diaphragm
Power Source:	CO2 Gas, Nitrogen or Compressed Filtered Air
Materials of Construction: (Wetted Parts)	Polypropylene, Santoprene, EPDM, 302 or 304 Stainless Steel Spring
Temperature Limits:	34 - 120 °F (1.1 - 49 °C)
Remote Supply Capability:	4 x 3.0 oz (89 ml) valves (each dispenses at 0.5 oz/sec) 2 x 4.5 oz (133 ml) valves (each dispenses at 0.75 oz/sec)
Weight:	1.19 lbs (0.54 kg)
Dimensions:	5.26"H x 6.18"W x 2.89"D (133.6 mm x 156.8 mm x 73.5 mm)
Displacement:	2.5 oz per cycle
Self Priming:	Up to 10 ft (3.05 m)
Operating Pressure:	20 PSI (1.4 bar) min / 80 PSI (5.5 bar) max
Flow Rate:	4.0 oz (118.3 ml) /sec - Open Flow
Approvals:	CE, NSF Standard 18
Warranty:	5 Years



Part Number	Liquid In	Liquid Out	Gas Inlet	Notes
T5000-130	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Plastic Barb	
T5000-135	N/A	N/A	N/A	Service Pump
T5000-145	3/8" Plastic Barb on ASV	1/4" SS Barb	1/4" Brass Barb Tee	With Glide Bracket
T5000-146	3/8" Plastic Barb on ASV	1/4" SS Barb	1/4" Brass Barb Elbow	With Glide Bracket
T5000-149	3/8" Plastic Barb on ASV	None	None	Service Pump w/ASV
T5000-158	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Brass Elbow	With Glide Bracket
T5000-167	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Brass Barb Tee	With Glide Bracket
T5000-169	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Brass Barb	With Glide Bracket
T5000-172	3/8" Plastic Barb on ASV	1/4" SS Barb	1/4" Brass Barb	With Glide Bracket
T5000-174	3/8" Plastic Barb on ASV	1/4" SS Barb	1/4" Brass Offset Tee	With Glide Bracket
T5000-175	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Brass Offset Tee	With Glide Bracket
T5000-176	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Offset Left Hand Brass Elbow	With Glide Bracket
T5000-177	3/8" Plastic Barb on ASV	3/8" SS Barb	1/4" Offset Right Hand Brass Elbow	With Glide Bracket



Auto Shut-Off For 5000 Series Pumps

Part Number	Description
20308-130	Auto Shut-Off Valve



20308-130




G55 Series BIB Pumps are designed for dispensing bag-in-box syrups, juice concentrates (without pulp or particulate), teas, wines, draught beer and liquor.

- Highest flow rate available
- High CO2 inlet pressure capability for long runs - up to 90 PSI (6.2 bar)
- Ultimate performance and reliability with extended service life
- Built-in auto shutoff, automatically shuts off pump when bag is empty and restarts when a full bag is connected
- Easy installation with all quick disconnect ports
- Quiet operation
- High altitude shutoff also available
- Recyclable materials



G55-1012A


Pump Design:	Positive Displacement, Double Diaphragm
Power Source:	CO2 Gas, Nitrogen or Compressed Filtered Air
Materials of Construction (Wetted Parts):	Polypropylene, Santoprene, EPDM, 302 or 304 Stainless Steel Spring
Temperature Limits:	34 - 120 °F (1.1 - 49 °C)
Remote Supply Capability:	4 x 3.0 oz (89 ml) valves (each dispenses at 0.5 oz/sec) 2 x 4.5 oz (133 ml) valves (each dispenses at 0.75 oz/sec)
Weight:	1.19 lbs (0.54 kg)
Dimensions:	5.26"H x 6.18"W x 2.89"D (133.6 mm x 156.8 mm x 73.5 mm)
Displacement:	2.5 oz per cycle
Self Priming:	Up to 10 ft (3.05 m)
Operating Pressure:	20 PSI (1.4 bar) min / 80 PSI (5.5 bar) max
Flow Rate:	4.0 oz (118.3 ml) /sec - Open Flow
Approvals:	CE, NSF Standard 18
Warranty:	5 Years



Part Number	Liquid In	Liquid Out	Gas Inlet	Notes
G55-1000A	N/A	N/A	N/A	Service Pump
G55-1012A	3/8" SS Straight Barb	1/4" SS Straight Barb	1/4" Brass Shut-Off Barb	Muffler Small
G55-1022A	3/8" SS Straight Barb	3/8" SS Straight Barb	1/4" Brass Shut-Off Barb	Muffler Small
G55-1072	1/4" SS Straight Barb	1/4" SS Straight Barb	1/4" Brass Shut-Off Barb	Muffler Small

G80 Pulpjet Series BIB Pumps are designed for dispensing bag-in-box syrups, juice concentrates which have pulp and particles up to 1/8" or 3mm.

Pump Design:	Positive Displacement, Double Diaphragm
Check Valve:	Duckbill Valve Patent Pending
Power Source:	CO2 Gas, Nitrogen or Compressed Dry Filtered Air
Materials of Construction (Wetted Parts):	Polypropylene, Santoprene®, EPDM, AISI 303 & 304 Stainless Steel
Temperature Limits:	34 - 120 °F (1.1 - 49 °C)
Weight:	1.24 lbs (0.56 kg)
Dimensions:	5.27"H x 3.21"W x 4.58"D (133.8 mm x 81.5 mm x 116.3 mm)
Displacement:	3.2 oz per cycle
Self Priming:	Up to 6 ft (1.83m)
Operating Pressure:	20 PSI (1.4 bar) min / 80 PSI (5.5 bar) max
Liquid Inlet Pressure:	30 PSI (2.1 bar) max
Flow Rate:	6.0 oz (177.4 ml) /sec - Open Flow
Approvals:	NSF listed, CE



Part Number	Liquid In	Liquid Out	Gas Inlet	Notes
G80E022A	3/8" SS Straight Barb	3/8" SS Straight Barb	1/4" Brass Shut-Off Barb	Muffler Small



Pump Kits

Part Number	Pump Type	# of Pumps	Bracket Type	BIB Connector(s)	Liquid Outlet
T5000-810A	T5000	1	Universal	Coke	3/8" SS Barb
T5000-630	T5000	1	Universal	Encore Pepsi	3/8" SS Barb
T5000-220A	T5000	2	Universal	QCDII	3/8" SS Barb
T5000-820A	T5000	2	Universal	Coke	3/8" SS Barb
T5000-230A	T5000	3	Universal	QCDII	3/8" SS Barb
T5000-230B	T5000	3	Universal	Encore Pepsi	3/8" SS Barb
T5000-233A	T5000	3	Universal	QCDII	1/4" SS Barb
T5000-830A4	T5000	3	Universal	Coke	1/4" SS Barb
T5000-503	T5000	3	Flat panel	Coke	3/8" SS Barb
T5000-830A	T5000	3	Universal	Coke	3/8" SS Barb
T5000-840A	T5000	4	Universal	Coke	3/8" SS Barb
T5000-866A	T5000	6	Universal	Coke	3/8" SS Barb
G55-102WA	G55	2	Universal	N/A	3/8" SS Barb
G55-102BM	G55	2	Universal	Coke	3/8" SS Barb
G55-102XA	G55	3	Universal	N/A	3/8" SS Barb
G55-102CA	G55	3	Universal	Coke	3/8" SS Barb
G55-102DA	G55	4	Universal	Coke	3/8" SS Barb
G55-102DE	G55	4	Universal	Encore Pepsi	3/8" SS Barb



T5000-830A



G55-102CA

Electric BIB Pumps

Part Number	Description
2125-504C	Electric Beverage Pump, 115V, 45 PSI, 3/8" Barb
BIB5000A	BevJet, Electric BIB Pump System, 3/8" Barb Inlet And Outlet, 0.6 GPM, 40 PSI, 115V (Not For Liquids With Pulp or Particulates)



2125-504C



BIB5000A

Bottled Water Systems

Part Number	Description
BW5000-000A	Bottled Water Dispensing System, 115V, Cord With Plug



BW5000-000A

Accessories

Part Number	Description
01600230A	Transfer Valve, Industrial Grade Withstands Harsh Fluids
01600231A	Transfer Valve, High Altitude
01600530A	Transfer Valve With 3/8" Barb Swivel Elbows
01740-003S	Strainer, 3/8" In/Out, 40 Mesh SS Screen



01600230A
01600231A



01600530A




01740-003S

Hart & Price Distributing offers a full line of BIB pump and tubing labels, please call for options.



Flojet Brackets

Part Number	Description
20272-003	Bracket, Slider, G Series
20982-100A	Bracket, Universal (5000 & G Series)
21000-325A	Bracket, 8 Pump, Plastic (5000 Series)
21000-563	Bracket, Slider, 90 Degree (5000 Series)
21000-255B	Bracket For Mounting Flojet Transfer Valve



Flojet CO2 Fittings

Part Number	Description
01510-000	CO2 Fitting, 1/4" Barb, Brass, Straight (5000 & G)
1520-000	CO2 Fitting, 1/4" Barb, Brass, Tee (5000 & G)
1521-000	CO2 Fitting, 1/4" Barb, Brass, Elbow (5000 & G)
1522-000	CO2 Fitting, 1/4" Barb, Brass, Offset Tee
1523-000	CO2 Fitting, 1/4" Barb, Brass, Offset Elbow, Left
1524-000	CO2 Fitting, 1/4" Barb, Brass, Offset Elbow, Right
20325-033	CO2 Fitting, 1/4" Barb, Plastic Straight (5000 Series)



Flojet Product Fittings

Part Number	Description
3144	Product Fitting, Flojet Port to 1/4" Barb, SS
3143	Product Fitting, Flojet Port to 3/8" Barb, SS
3145	Product Fitting, Flojet Port to 1/2" Barb, SS
7096	Product Fitting, Flojet Inlet 90°, 1/4" Barb, SS
7100	Product Fitting, Flojet Inlet 90°, 3/8" Barb, SS
7482	Product Fitting, Flojet Port 45° With 3/8" Barb U-Bend, SS
20381-026	Product Fitting, Flojet Straight 3/8" - 1/4" Barb, Plastic



Electric Pump Fittings

Part Number	Description
91010-003	Electric Pump Fitting, 1/4" Male NPT x 3/8" Barb 90° Elbow
91010-032	Electric Pump Fitting, 3/8" Male NPT x 1/4" Barb Straight





BIB Connectors

Part Number	Description
33020	Connector QCD II, Gray
33230	Connector Encore, Green
33231	Connector Encore, Burgundy
82-0291/02	Connector, Coca-Cola, Red
82-2566/02	Connector, Domestic Diet Coca-Cola, White
82-1788/02	Connector 3/8" Plastic, White
82-1790/02	Connector 3/8" Plastic, Green
82-2911/03	Connector 3/8" Plastic, Yellow
265724	Connector 2710L Versi With 3/8" Tee Barb, Blue
265726	Connector 2710L Versi With 3/8" 90° Barb, Blue
201184	Connector T, 3/8" Scholle, 8599-19-052, Black
202004	Connector L, 3/8" Scholle, 1900L, Black



33020



33230



33231



20-1104-20



82-2566/02



82-0291/02



82-1788/02



82-1790/02



82-2911/03



265724



265726



201184



202004

BIB Cleaning Adapters

Part Number	Description
20-1110-20	Adapter CC Sanitizer, 3/8" Barb, Red
20-1710-30	Adapter Scholle Sanitizer, Blue
33085	Adapter Encore Pepsi Sanitizer, 3/8" Barb, Green
CA-Q51F	Flush Adapter QCD II, Translucent



20-1110-20



20-1710-30



33085



CA-Q51F

Liquid Box QCD Parts

Part Number	Description
28007	QCD O-Ring, Poppet Valve, EP009
28009	QCD O-Ring, Probe, EP015
28011	QCD O-Ring, Stem, EP115
31041	QCD II Cap



31041



28007

BIB Faucet

Part Number	Description
1000228	HFSR Faucet, Liqui-Box




1000228




BIB Racks

Part Number	Description
R03-0101	BIB Rack 1 Box Wide Incline Shelf With Glide Panels 15"W
R03-01FH	BIB Rack 1 Box Wide Flat Shelf With Hole Panels 15"W
R03-01TS	Top Shelf 1 Box Wide With Hole Panels 15"W
R03-0201	BIB Rack 2 Box Wide Incline Shelf With Glide Panels 27"W
R03-02FV	BIB Rack 2-3 Box Wide Vertical Flat Shelf With Glide Panels 28"W
R03-02HB	BIB Pump Mount 2 Box Wide 2 Bars For 6 Pumps With Glide Panels 27"W
R03-02VHB	BIB Pump Mount 2/3 Box Wide Vertical Rack 2 Bars With Glide Panels 28"W
R03-02TS	Top Shelf With Glide Panels For 2 Boxes Wide Incline Rack 27"W
R03-02VTS	Top Shelf With Glide Panels For 2 Box Wide Vertical Rack 28"W
HY-0114	BIB Flex Rack 2 Shelves High With Riser 28"W
R03-0301	BIB Rack 3 Box Wide Incline Shelf With Glide Panels 39"W
R03-03FV	BIB Rack 3-4 Box Wide Vertical Flat Shelf With Glide Panels 39"W
R03-03HB	BIB Pump Mount 3 Box Wide 2 Bars For 8 Pumps With Glide Panels 39"W
R03-03CPM	BIB Rack 3 Boxes Wide Vertical Rack Center Pump Mount 39"W
R03-03TS	Top Shelf With Glide Panels For 3 Boxes Wide Incline Or Flat Rack 39"W
01-1848	BIB Rack Connector For Flex Rack 1" Black
50-1020-00	BIB Rack Connector For Stacking Shelves 2" Black Plastic
50-1019-00	BIB End Caps 1" Square Tubing Black Plastic
6C524027HDP	BIB Rack Caster Wheel 4" Diameter
BCASTER	BIB Rack Caster With Insert

- Incline or Flat
- Welded Construction
- Durable, Powder-Coated Finish
- Integrated Bracket for Pump or Regulator Mounting
- ETL listed



*Inclined Shelf With
Glide Panels*



*Vertical Flat Shelf With
Glide Panels*



*Flat Shelf
With Hole Panels*



*Center Pump Mount With
Glide Panels*



*Top Shelf With
Glide Panels*



*Pump Mount With
Glide Panels*



HY-0114 Flex Rack



01-1848



50-1020-00



50-1019-00



6C524027HDP



BCASTER