

GLASS DOOR MERCHANDISERS



RMH-40

33 to 38°F



Model	Dimensions			Net Capacity	Shelves	HP	Amps	Crated Weight	Refrigerant
	W	D	H						
RMH-8	18.6"	25.2"	77.7"	10 cf	5	$\frac{1}{6}$	3.5	292 lbs.	R-290
RMH-10SL	24.3"	19.6"	60.3"	7 cf	3	$\frac{1}{4}$	3.5	246 lbs.	
RMH-27	30.2"	31.1"	80.8"	23 cf	5	$\frac{1}{4}+$	5	341 lbs.	
RMH-33PT	39.7"	28.5"	56.7"	14 cf	3	$\frac{1}{3}$	3.5	345 lbs.	
RMH-40	47.4"	32.4"	80.8"	38 cf	10	$\frac{1}{4}+$	5	525 lbs.	

*Inches rounded up one decimal place *Specifics may change without notification



ELECTRONIC CONTROL

The intelligent temperature control is programmed to ensure the correct operation of the equipment and maintain products at an optimum temperature.



CARE FREE CONDENSER

The finless spiral condenser design prevents dust/dirt buildup allowing maximum long term efficiency.



LED LIGHTING

LED lighting provides long lasting energy efficient lighting with minimal heat output.



RMH-10SL



RMH-8

GLASS DOOR FREEZERS



FMH-12



Model	Dimensions			Net Capacity	Shelves	HP	Amps	Crated Weight	Refrigerant
	W	D	H						
FMH-12	25.2"	25.9"	62.8"	8 cf	3	1/4+	4	196 lbs.	
FMH-27	30.2"	32.2"	80.7"	19 cf	5	1/3	5	350 lbs.	
FMH-49	52.1"	33.8"	80.7"	38 cf	10	1/4	6	550 lbs.	

*Inches rounded up one decimal place *Specifics may change without notification



HOT GAS DEFROST

Reversing valve allows for instant hot gas defrost.



CARE FREE CONDENSER

The finless spiral condenser design prevents dust/dirt buildup allowing maximum long term efficiency.



LED LIGHTING

LED lighting provides long lasting energy efficient lighting with minimal heat output.



FMH-49



FMH-27

COUNTERTOP MERCHANDISERS



CTRH-4



Model	Dimensions			Net Capacity	Shelves	HP	Amps	Crated Weight	Refrigerant
	W	D	H						
CTRH-4	23.4"	27.7"	32.8"	5 cf	2	1/6	4	185 lbs.	R-290

*Inches rounded up one decimal place *Specifics may change without notification

CT SERIES



Model	Dimensions			Net Capacity	Shelves	HP	Amps	Crated Weight	Refrigerant
	W	D	H						
CTFH-3	23.8"	24.4"	31.6"	4 cf	2	1/5	4	185 lbs.	R-290

*Inches rounded up one decimal place *Specifics may change without notification